



Basic care of the neonate

Julia Petty



'Basic skills' include.....

- Hygiene needs
- Bathing / Top & tailing
- Nappy Care & observing Elimination
- Mouth Care
- Cord Care
- Eye Care
- Care Routines




Bathing / Topping and Tailing

- Timing is dependent on the condition, gestation and age of the baby
- Not necessary to be done immediately after birth
- Central temperature should be >36.5 C
- Use neutral soaps and avoid alkaline substances which disrupts the acid mantle of the skin
- Involve / include parents



Baby bathing: the basic principles

- No right or wrong way BUT the following 3 principles MUST be remembered....
- Keep the baby warm
- Keep safe
- Temperature water no more than 37.8 degrees C
- 'Top and tailing' face and nappy area cleaned











Nappy Care

- Change as soon as possible after soiling to avoid rash associated with ammonia
- Barrier creams can be used but are not essential. Variety of creams are available when treatment is necessary (i.e. persisting nappy rash, thrush).
- Involve / include parents
- GENERAL rule- water only for cleaning, no products necessary for clear, healthy skin



Skin

- Observe skin should be clear, soft and intact in term neonate. Sensitive in 1st year of life
- Preterm skin- is more transparent the earlier the gestation, more fragile and easily damaged
- Avoid products and use water only for any gestation
- If dry and flaky skin (e.g. post-term neonates)- Olive oil can be used from pharmacy




Mouth Care

- Check mouth make sure it is clean and moist (include lips and mucous membranes and tongue)
- Observe tongue should be dark pink.
 Check for thrush that appears white on the tongue
- Clean mouth with mouth care sponges or cotton buds using cooled, boiled water
- Involve / include parents



Cord Care

- 2-5 cm cord is left after cutting
- Separates over 5-16 days
- Remove clamp on day 3-4
- Keep clean with water when bathing or changing nappy (once day)
- Avoid powder or spirit-based substance
 this delays separation and increases infection rates
- Involve / include parents





Eye care

- Do not clean unless discharging
- Sticky eyes are usually due to blocked tear ducts
- If infected offensive & redness
- Clean each eye separately, cotton wool swiped once, from inner part outwards
- Use sterile OR cooled boiled water
- Involve / include parents



Care Routines

- Individualised care 'routines'
- Where possible, parents to participate and perform care procedures.
- Observe the neonate particularly when sick & unstable- give 'time out' if signs of stress are evident.
- Minimal handling principles apply when the neonate is more unstable



Further detail & resources...

 For more details on assessment and care of the newborn baby / neonate, go to the online resource, Unit 2F.....

 http://www.cetl.org.uk/learning/neonatal/ unit 2f/player.html



Further Reading

- BOOK CHAPTER
- Petty, J. D. (2012). Personal Hygiene and Pressure Ulcer prevention. In S. Macqueen, E. Bruce, & F.
 Gibson (Eds.), The Great Ormond Street Hospital Manual of Children's Nursing Practices. Oxford: Wiley-Blackwell.
- SKIN CARE
- Atherton D.J. (2009) Managing healthy skin for babies *Infant*_5; 4: 130-32. Full text= http://www.neonatal-nursing.co.uk/pdf/inf 028 hea.pdf
- Hale R. (2007) Protecting neonates' delicate skin *British Journal of Midwifery*. 15, 4, 231-232, 234-235.
- Jackson, A (2008). Time to review new-born skin care. *Infant.* 4, 5, 168-171. Full text= http://www.infantgrapevine.co.uk/pdf/inf 023 rwn.pdf
- NICE Clinical Knowledge Summary (2013) Nappy Rash http://www.cks.nhs.uk/nappy rash
- Trotter S (2008). Neonatal skin & cord care the way forward. *Nursing in Practice (January/February*) 40 (Dermatology): 40-45 http://www.sharontrotter.org.uk/NIP2008new.htm
- Trotter S (2013). Why no baby skincare product should be advertised or promoted as 'suitable for newborn skin'. Midirs Midwifery Digest 23(2): p217-221. http://www.sharontrotter.org.uk/midirs2013.html
- UMBILICAL CORD CARE
- Zupan J and Gardner P (2004) Topical Umbilical cord care at birth (Cochrane review) In the Cochrane Library, Issue3, Oxford, update softwarehttp://onlinelibrary.wiley.com/o/cochrane/clsysrev/articles/CD001057/frame.html
- CORD CLAMPING
- Hutton, EK; & Hassan, ES (2007) Late vs Early Clamping of the Umbilical Cord in Full-term Neonates: Systematic Review and Meta-analysis of Controlled Trials. *JAMA*.;297(11):1241-1252. doi:10.1001/jama.297.11.1241. http://jama.ama-assn.org/content/297/11/1241.full.pdf