

Crop and environmental protection selected publications

- Ristaino JB, Hu CH, Fitt BDL (2012). Evidence for presence of the founder Ia mtDNA haplotype of *Phytophthora infestans* in 19th century potato tubers from the Rothamsted archives. *Plant Pathology* (Doi: 10.1111/j.1365-3059.2012.02680.x)
- Carlton RR, West JS, Smith P, Fitt BDL (2012). A comparison of GHG emissions from UK field crop production under selected arable systems with reference to disease control. *European Journal of Plant Pathology* **133**, 333-351.
- West JS, Townsend JA, Stevens M, Fitt BDL (2012). Comparative biology of different plant pathogens to estimate effects of climate change on crop diseases in Europe. *European Journal of Plant Pathology* **133**, 315-331.
- Kaczmarek J, Jedryczka M, Cools HJ, Fitt BDL, Lucas JA, Latunde-Dada AO (2012). Quantitative PCR analysis of abundance of airborne propagules of *Leptosphaeria* species in air samples from different regions of Poland. *Aerobiologia* **28**, 199-212
- Looseley ME, Newton AC, Atkins SD, Fitt BDL, Fraaije BA, Thomas WTB, Keith R, Macaulay M, Lynott J, Harrap D (2012). Genetic basis of control of *Rhynchosporium secalis* infection and symptom expression in barley. *Euphytica* **184**, 47-56.
- Boys E, Roques SE, West JS, Werner CP, King GJ, Dyer PS, Fitt BDL (2012). *R* gene-mediated resistance in *Brassica napus* that limits asexual sporulation but allows sexual sporulation by *Pyrenopeziza brassicae*. *Plant Pathology* **61**, 543-554.
- West JS, Holdgate S, Townsend JA, Edwards SG, Jennings P, Fitt BDL (2012). Impacts of changing climate and agronomic factors on fusarium ear blight of wheat in the UK. *Fungal Ecology* **5**, 53-61.
- Hughes DJ, West JS, Atkins SD, Gladders P, Jeger MJ, Fitt BDL (2011). Effects of disease control by fungicides on Greenhouse Gas (GHG) emissions by UK arable crop production. *Pest Management Science* **67**, 1082-1092.
- Madgwick JW, West JS, White RP, Semenov MA, Townsend JA, Turner JA, Fitt BDL (2011). Impacts of climate change on wheat anthesis and fusarium ear blight in the UK. *European Journal of Plant Pathology* **130**, 117-131.
- Huang YJ, Hood JR, Eckert MR, Stonard JF, Cools HJ, Rossall S, Ashworth M, Fitt BDL (2011). Effects of fungicide on growth of *Leptosphaeria maculans* and *L. biglobosa* in relation to development of phoma stem canker on oilseed rape (*Brassica napus*). *Plant Pathology* **60**, 607-620.

- Fitt BDL, Fraaije BA, Chandramohan P, Shaw MW (2011). Impacts of changing air composition on severity of arable crop disease epidemics. *Plant Pathology* **60**, 44-53.
- Barnes AP, Wreford A, Butterworth MH, Semenov MA, Moran D, Evans N, Fitt BDL (2010). Adaptation to increasing severity of phoma stem canker on winter oilseed rape in the UK under climate change. *Journal of Agricultural Science* **148**, 683-694.
- Newton AC, Fitt BDL, Atkins SD, Walters DR, Daniell TJ (2010). Pathogenesis, parasitism and mutualism in the trophic space of microbe-plant interactions. *Trends in Microbiology* **18**, 365-373.
- Evans N, Butterworth MH, Baierl A, Semenov MA, West JS, Barnes A, Moran D, Fitt BDL (2010). The impact of climate change on disease constraints on production of oilseed rape. *Food Security* **2**, 143-156.
- Van de Wouw AP, Stonard JF, Howlett BJ, West JS, Fitt BDL, Atkins SD (2010). Determining frequencies of avirulent alleles in airborne *Leptosphaeria maculans* inoculum using quantitative PCR. *Plant Pathology* **59**, 809-818.
- Powers SJ, Pirie EJ, Latunde-Dada AO, Fitt BDL (2010). Analysis of leaf appearance, leaf death and phoma leaf spot, caused by *Leptosphaeria maculans*, on oilseed rape (*Brassica napus*) cultivars. *Annals of Applied Biology* **157**, 55-70.
- Eckert MR, Rossall S, Selley A, Fitt BDL (2010). Effects of fungicides on *in vitro* spore germination and mycelial growth of the phytopathogens *Leptosphaeria maculans* and *L. biglobosa* (phoma stem canker of oilseed rape). *Pest Management Science* **66**, 396-405.
- Huang YJ, Balesdent MH, Li ZQ, Evans N, Rouxel T, Fitt BDL (2010). Fitness cost of virulence differs between the *AvrLm1* and *AvrLm4* loci in *Leptosphaeria maculans* (phoma stem canker of oilseed rape). *European Journal of Plant Pathology* **126**, 279-291.
- Brun H, Chevre AM, Fitt BDL, Powers S, Besnard AL, Ermel M, Marquer B, Eber F, Renard M, Andrivon D (2010). Quantitative resistance increases the durability of qualitative resistance to *Leptosphaeria maculans* in *Brassica napus*. *New Phytologist* **185**, 285-299.
- Stonard JF, Latunde-Dada AO, Huang YJ, West JS, Evans N, Fitt BDL (2010). Geographic variation in severity of phoma stem canker and *Leptosphaeria maculans*/*L. biglobosa* populations on UK winter oilseed rape (*Brassica napus*). *European Journal of Plant Pathology* **126**, 97-109.
- Stonard JF, Marchant B, Latunde-Dada AO, Liu Z, Evans N, Gladders P, Eckert MR, Fitt BDL (2010). Geostatistical analysis of the distribution of *Leptosphaeria* species causing phoma stem canker on winter oilseed rape in England. *Plant Pathology* **59**, 200-210.

- Butterworth MH, Semenov MA, Barnes A, Moran D, West JS, Fitt BDL (2010). North-south divide; contrasting impacts of climate change on crop yields in Scotland and England. *Journal of the Royal Society Interface* **7**, 123-130.
- Kaczmarek J, Jedryczka M, Fitt BDL, Lucas JA, Latunde-Dada AO (2009). Analyses of air samples for ascospores of *Leptosphaeria maculans* and *L. biglobosa* by light microscopy and molecular techniques. *Journal of Applied Genetics* **50**, 411-419.
- Mahmuti M, West JS, Watts J, Gladders P, Fitt BDL (2009). Controlling crop disease contributes to both food security and climate change mitigation. *International Journal of Agricultural Sustainability* **7**, 189-202.
- Huang YJ, Pirie EJ, Evans N, Delourme R, King GJ, Fitt BDL (2009). Quantitative resistance to symptomless growth of *Leptosphaeria maculans* (phoma stem canker) in *Brassica napus* (oilseed rape). *Plant Pathology* **58**, 314-323.
- Bock CH, Wan AM, Fitt BDL (2009). Development of *Oculimacula yallundae* and *O. acuformis* (eyespot) lesions on stems of winter wheat in relation to thermal time in the UK. *Plant Pathology* **58**, 12-22.
- Perryman SAM, Gladders P, Fitt BDL (2009). Autumn sowing increases severity of pasmo (*Mycosphaerella linicola*) on linseed in the UK. *Annals of Applied Biology* **154**, 19-32.
- Fitt BDL, Hu BC, Li ZQ, Liu SY, Lange RM, Kharbanda PD, Butterworth MH, White RP (2008). Strategies to prevent spread of *Leptosphaeria maculans* (phoma stem canker) onto oilseed rape crops in China; costs and benefits. *Plant Pathology* **57**, 652-664.
- West JS, Atkins SD, Emberlin J, Fitt BDL (2008). PCR to predict risk of airborne disease. *Trends in Microbiology* **16**, 380-387.
- Zhan J, Fitt BDL, Pinnschmidt HO, Oxley SJP, Newton AC (2008). Resistance, epidemiology and sustainable management of *Rhynchosporium secalis* populations on barley. *Plant Pathology* **57**, 1-14.
- Shaw MW, Bearchell SJ, Fitt BDL, Fraaije BA (2008). Long-term relationships between environment and abundance in wheat of *Phaeosphaeria nodorum* and *Mycosphaerella graminicola*. *New Phytologist* **177**, 229-238.
- Evans N, Baiert A, Semenov MA, Gladders P, Fitt BDL (2008). Range and severity of a plant disease increased by global warming. *Journal of the Royal Society Interface* **5**, 525-531.
- Walters DR, McRoberts N, Fitt BDL (2008). Are green islands red herrings? Significance of green islands in plant interactions with pathogens and pests. *Biological Reviews* **83**, 79-102.

- Salam MU, Fitt BDL, Aubertot JN, Diggle AJ, Huang YJ, Barbetti MJ, Gladders P, Jedryczka M, Khangura RK, Wratten N, Fernando WGD, Penaud A, Pinochet X, Sivasithamparam K (2007). Two weather-based models for predicting the onset of seasonal release of ascospores of *Leptosphaeria maculans* or *L. biglobosa*. *Plant Pathology* **56**, 412-423.
- Liu SY, Liu RH, Latunde-Dada AO, Cools HJ, Foster SJ, Huang YJ, Fitt BDL (2007). Comparison of *Leptosphaeria biglobosa*-induced and chemically induced systemic resistance to *L. maculans* in *Brassica napus*. *Chinese Science Bulletin* **52**, 1053-1062.
- Steed JM, Baierl A, Fitt BDL (2007). Relating plant and pathogen development to optimise fungicide control of phoma stem canker (*Leptosphaeria maculans*) on winter oilseed rape (*Brassica napus*). *European Journal of Plant Pathology* **118**, 359-373.
- Boys EF, Roques SE, Ashby AM, Evans N, Latunde-Dada AO, Thomas JE, West JS, Fitt BDL (2007). Resistance to infection by stealth: *Brassica napus* (winter oilseed rape) and *Pyrenopeziza brassicae* (light leaf spot). *European Journal of Plant Pathology* **118**, 307-321.
- Huang YJ, Liu Z, West JS, Todd AD, Hall AM, Fitt BDL (2007). Effects of temperature and rainfall on date of release of ascospores of *Leptosphaeria maculans* (phoma stem canker) from winter oilseed rape (*Brassica napus*) debris in the UK. *Annals of Applied Biology* **151**, 99-111.
- Fitt, B.D.L., Brun, H., Barbetti, M.J. Rimmer, S.R. (2006). World-wide importance of phoma stem canker (*Leptosphaeria maculans* and *L. biglobosa*) on oilseed rape (*Brassica napus*). *European Journal of Plant Pathology* **114**, 3-15.
- Huang YJ, Li ZQ, Evans N, Rouxel T, Fitt BDL, Balesdent MH (2006). Fitness cost associated with loss of the *AvrLm4* avirulence function in *Leptosphaeria maculans* (phoma stem canker of oilseed rape). *European Journal of Plant Pathology* **114**, 77-89.
- Karolewski Z, Fitt BDL, Latunde-Dada AO, Foster SJ, Todd AD, Downes K, Evans N (2006). Visual and PCR assessment of light leaf spot (*Pyrenopeziza brassicae*) on winter oilseed rape (*Brassica napus*) cultivars. *Plant Pathology* **55**, 387-400.
- Liu SY, Liu Z, Fitt BDL, Evans N, Foster SJ, Huang YJ, Latunde-Dada AO, Lucas JA (2006). Resistance to *Leptosphaeria maculans* (phoma stem canker) in *Brassica napus* (oilseed rape) induced by *L. biglobosa* and chemical defence activators in field and controlled environments. *Plant Pathology* **55**, 401-412.
- Huang YJ, Evans E, Li ZQ, Eckert M, Chevre AM, Renard M, Fitt BDL (2006). Temperature and leaf wetness duration affect phenotypic expression of *Rlm6*-mediated resistance to *Leptosphaeria maculans* in *Brassica napus*. *New Phytologist* **170**, 129-141.

- Fitt BDL, Huang YJ, van den Bosch F, West JS (2006). Coexistence of related pathogen species on arable crops in space and time. *Annual Review of Phytopathology* **44**, 163-182.
- Eckert, M., Gout, L., Rouxel, T., Blaise, F., Jedryczka, M., Fitt, B.D.L., Balesdent, M.H. (2005). Identification and characterisation of polymorphic minisatellites in the phytopathogenic ascomycete *Leptosphaeria maculans*. *Current Genetics* **47**, 37-48.
- Huang, Y.J, Fitt, B.D.L., Jedryczka, M., Dakowska, S., West, J.S., Gladders, P., Steed, J.M., Li, Z.Q. (2005). Patterns of ascospore release in relation to phoma stem canker epidemiology in England (*Leptosphaeria maculans*) and Poland (*L. biglobosa*). *European Journal of Plant Pathology* **111**, 263-277.
- Wan, A.M., Bock, C.H., Fitt, B.D.L., Harvey, J.L. & Jenkyn, J.F. (2005). Development of *Oculimacula yallundae* and *O. acuformis* (eyespot) on leaf sheaths of winter wheat in the UK in relation to thermal time. *Plant Pathology* **54**, 144-155.
- Liu, S., Wang, H., Zhang, J., Fitt, B.D.L., Xu, Z., Evans, N., Liu, Y., Yang, W. & Guo, X. (2005). *In vitro* mutation and selection of doubled haploid *Brassica napus* lines with improved resistance to *Sclerotinia sclerotiorum*. *Plant Cell Reports* **24**, 133-144.
- Bearchell, S.J., Fraaije, B.A., Shaw, M.W., Fitt, B.D.L. (2005). Wheat archive links long-term fungal pathogen population dynamics to air pollution. *PNAS* **102**, 5438-5442.
- Eckert M, Maguire K, Urban M, Foster S, Fitt B, Lucas J, Hammond-Kosack K (2005). *Agrobacterium tumefaciens*-mediated transformation of *Leptosphaeria* spp. and *Oculimacula* spp. with the reef coral gene *DsRed* and the jellyfish gene *gfp*. *FEMS Microbiology Letters* **253**, 67-74.